

# FLOODstream's FS2 is a powerful production truck with a small "go anywhere" footprint. Similar to our other units, FS2 has been

FLOODstream's FS2 is a powerful production truck with a small "go anywhere" footprint. Similar to our other units, FS2 has been designed for sports, news and entertainment productions and relies on an IP-based workflow for audio and video. A box truck measuring less than 20' in length, FS2 sports a full complement of high-definition broadcast equipment, multiple cameras and instant replay. FS2 can support multiple remote production positions including the Graphics and Producer roles. FS2 also serves as the on-site unit for our REMI productions.

### **Production**

- Newtek Tricaster 8000 w/ Advanced Edition 2
  - 8-Camera Switcher w/Control Surface
- Newtek 3Play 425
  - 4-Camera Instant Replay System

### **Cameras & Connectivity**

- 4x Panasonic HPX370 High Definition Camera
  - 17x Fujinon Lens
  - Studio or Handheld Configuration
- 1x JVC HM-600 High Definition Camera
- 1x Marshall Electronics CV503 POV Camera
- 5x BirdDog Studio NDI Encoder / Decoder
- 1x BirdDog Quad 4-Channel NDI Encoder/Decoder
- · Additional cameras and lenses available upon request

#### Network

- Fully Managed Gigabit network, featuring:
  - 1x Ubiquiti Security Gateway Pro
  - 1x Ubiquiti 24-Port POE Switch w/ dual Fiber SFP
  - 3x Ubiquiti Networks 8-Port POE Switch

### **Graphics**

- NewBlue Captivate (formerly Titler) Broadcast Edition
  - Multi-channel motion graphics w/ data integration
- SportzCast ScoreBot and Graphics Outfitters ScoreBridgeIP (on request) for scoreboard data integration
- · Chyron IP and Ross Xpression available at additional cost

### **Displays**

- 2x 40" Multi-View LED Monitor (Director and Producer)
- 2x 32" Monitor (Replay and Audio positions)
- 2x 24" Monitor (Gfx, Director)
- 2x 19" Talent Monitor w/BirdDog Play NDI decoder

### **Video Equipment**

- 5x AJA HD5DA Reclocking Distribution Amplifiers
- 3x AJA SDI to HDMI Converter

### **Audio**

- Behringer X32 Rack Digital Audio Console w/Dante Card
  - Behringer X-Touch control surface
- Yamaha Tio1608-D Dante stage box
- 4x Audio Technica BPHS1 Announcer Headsets
- 2x Studio Technologies 204 Dante announcer console
- 2x Sennheiser MD46 Handheld Microphones
- 2x Marantz SG-17P Shotgun Condenser Microphones
- Audio playout via PlayIt Cart Wall





### FLOODstream Two / FS2

FLOODstream's flagship production truck, FLOODstream One, is based in Phoenix, Arizona and is used for a variety of live broadcast sports and entertainment productions. A 24-foot trailer, FS1 sports a full complement of high-definition broadcast equipment, utilizing an all IP audio and video workflow powered by an enhanced Ubiquiti network. FS1 can support multiple remote production positions including the Graphics and Producer roles.

### **Communications**

- · 2-Channel Dante Partyline system
  - 4x Studio Technologies 370A Dual Channel Dante beltpack
  - 2x Studio Technologies 373 Single-Channel Beltpacks
- 4-Channel Dante Audio IFB system
- Glennsound Producer IFB Station
- 6-Channel Unity Intercom system for remote crew communications
- Coordination line connections via Teams, Zoom or Google Meets, carried on Dante network.

### Transmission (on request)

- LiveU LU300s broadcast encoder w/3 Wireless Connections
- LiveU Solo stream encoder w/3 Wireless Connections
- Satellite or IP transmission methods available on request.
- Additional costs apply to transmission.

### Lighting

- 3x 660 LED Light Fixtures w/stands
- 2x Small onboard LED camera light

### **Cables**

2x 500' 4-strand Tactical Fiber Optic Cable 2x 250' 2 SDI Video / 4 XLR Audio Cable Snake 4x 250' Dual Cat5e Ethernet snake

### **Electrical & Environmental**

13,500 BTU Roof-Mounted Air Conditioners
Dual 20 Amp Power via non-GFCI Circuit (Production and Utility)
1x Tripp Lite 1000VA Pure Sine Wave 700 Watt UPS


### Physical

20' Box Truck Configuration





## FLOODstream Two / FS2



Drawing not to scale

